



The Township of Hamilton

Jeffrey S. Martin
Mayor

April 30, 2021

TO: All Potential Bidders

FROM: Michele Bado, Purchasing Agent *Michele Bado*

RE: **ADDENDUM #1 – HENRY STREET, JONI AVENUE & LENOX AVENUE – ROAD IMPROVEMENTS**

ADDENDUM #1

Please see the attached Addendum #1 for the above mentioned project.

The bid date has been changed from **Wednesday, May 5, 2021 at 10:00am to Wednesday, May 12, 2021 at 10:00am.**

Please complete your addenda page accordingly with bid submission.

If you have any questions, please call me at your convenience.

Thank you for your cooperation.

SIGNATURE OF BIDDER

**ADDENDUM #1 – HENRY STREET, JONI AVENUE & LENOX AVENUE –
ROAD IMPROVEMENTS**

BID OPENING DATE: WEDNESDAY, MAY 12, 2021

The current bid specification reads the below paragraph (#34 on page 26)

34. SANITARY SEWER MANHOLE REPAIR (APPLY TO ITEM NO. 546) - Where directed by the Township, the contractor shall remove the existing castings; remove existing wall and ladder rungs to depth specified by the Inspector; dispose of the removed masonry; construct new walls; plaster inside walls with a waterproof type cement similar and equivalent to that manufactured by Thoroseal of IPA System, Inc.; install new ladder rungs and set existing casting at the specified grade. All repairs

Page 26 of 31

PLEASE REPLACE WITH THE REVISED PARAGRAPH BELOW:

34. SANITARY SEWER MANHOLE REPAIR (APPLY TO ITEM NO. 546) - Where directed by the Township, the contractor shall remove the existing castings; remove existing wall and ladder rungs to depth specified by the Inspector; dispose of the removed masonry; construct new walls; plaster inside walls with a waterproof type cement similar and equivalent to MasterSeal 581 manufactured by BSAF (substitutions must be approved prior to application); install new ladder rungs and set existing casting at the specified grade. All repairs shall be done in conformance with the Township Construction Details. Backfilling shall be done with suitable material in lifts of six (6) inches or less and compacted as specified. **ALL BACKFILL SHALL BE FREE OF ALL CONSTRUCTION DEBRIS (CONCRETE, BRICK, PIPE, BITUMINOUS PAVEMENT, ETC.).**

**BID OPENING DATE WILL CHANGE FROM WEDNESDAY, MAY 5,
2021 TO WEDNESDAY, MAY 12, 2021 AT 10:00AM.**